





PROGEF Standard tee 90° reduced S5/SDR11

Model:

- Material: PP-H
- Conventional butt-welding according to DVS 2207 part 11
- IR = Infrared-(IR Plus®) compatible. Choose fusion parameters: PP-H

¹with IR welded reducer



	d [mm]	d1 [mm]	FM	Code	SP	Weight [kg]	L [mm]	L1 [mm]	L2 [mm]	L3 [mm]	e [mm]	e1 [mm]
	63	32	IR	727 208 351	10	0.161	65	70	25	25	5.8	2.9
	63	40	IR	727 208 350	10	0.165	65	70	25	25	5.8	3.7
	63	50	IR	727 208 352	10	0.170	65	70	25	25	5.8	4.6
	75	32	IR	727 208 353	5	0.238	70	75	25	25	6.8	2.9
	75	50	IR	727 208 354	5	0.249	70	75	25	25	6.8	4.6
	75	63	IR	727 208 355	5	0.258	70	75	25	25	6.8	5.8
	90	50	IR	727 208 357	5	0.420	80	85	25	25	8.2	4.6
	90	63	IR	727 208 358	5	0.428	80	85	25	25	8.2	5.8
	90	75	IR	727 208 359	5	0.430	80	85	25	25	8.2	6.8
	110	32	IR	727 208 360	5	0.652	90	95	30	25	10.0	2.9
	110	50	IR	727 208 361	5	0.659	90	95	30	25	10.0	4.6
	110	63	IR	727 208 362	5	0.665	90	95	30	25	10.0	5.8
	110	75	IR	727 208 363	1	0.681	90	95	30	25	10.0	6.8
	110	90	IR	727 208 364	1	0.701	90	95	30	25	10.0	8.2
1	125	63	IR	727 208 365	1	1.680	125	232	25	16	11.4	5.8
1	125	90	IR	727 208 366	1	1.520	125	228	25	22	11.4	8.2
1	125	110	IR	727 208 367	1	1.700	125	220	25	30	11.4	10.0
1	140	75	IR	727 208 368	1	2.140	140	258	28	19	12.7	6.8
1	140	90	IR	727 208 369	1	2.150	140	250	28	22	12.7	8.2
1	140	110	IR	727 208 370	1	2.380	140	245	28	33	12.7	10.0
	160	63	IR	727 208 371	1	2.130	142	135	50	30	14.6	5.8
	160	75	IR	727 208 372	1	2.143	142	135	50	30	14.6	6.8
	160	90	IR	727 208 373	1	2.148	142	135	50	30	14.6	8.2
	160	110	IR	727 208 374	1	2.186	142	135	50	30	14.6	10.0
1	200	160	IR	727 208 385	1	6.632	200	295	35	40	18.2	14.6
1	200	180	IR	727 208 386	1	6.200	200	345	35	45	18.2	16.4
	225	90	IR	727 208 388	1	4.576	155	165	40	30	20.5	8.2
	225	110	IR	727 208 389	1	4.624	155	165	40	30	20.5	10.0
	225	160	IR	727 208 391	1	4.685	155	165	40	30	20.5	14.6
1	250	160		727 208 393	1	4.530	276	424	92	55	22.7	14.6

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.gfps.com>