



MSA 330 Electrofusion unit with jointing data recording

The MSA 330 electrofusion unit combines high performance in jointing with easy and safe handling. The internal memory has a capacity of 500 jointing records, for data transfer the unit is equipped with an USB interface. The record is delivered as PDF or CSV format, both are manageable with common and free PC software applications. An intuitive operation menu guides you through the complete jointing process. For fusion data input a scanner is connected. The entire welding process is controlled and regulated with energy output compensation depending on ambient temperature and the indication of cooling time. Robust aluminum housing with convenient cable winding and handle for weight balanced transport. The unit is suitable for jointing in series. Scope of delivery: Dedicated transport case, 2 pairs of angle adapter clips 4.0 mm and 4.7 mm, operation instructions and configuration chart.

Technical Data:

- Ambient temperature: -10°C to +45°C
- Mains voltage: 180V - 265V AC
- Mains frequency: 40 Hz - 70 Hz
- Fusion voltage: 8 - 48V AC
- Fusion current: 90 A (max)
- Suggested power generator: 3.5 kVA (5.0 kVA for fittings with #>200mm)
- Protection factor: Class 1 / IP 54
- Mains cable: 4 m
- Fusion cable: 4 m
- Interface: USB (type A) for PC communication and software updates
- Dimensions (WxHxD): 280 x 480 x 320mm
- Weight incl. cables: ca. 21.7 kg
- Display: LCD (20 alphanumerical char. x 4 lines), contrast adjustment, blue Background, white characters
- Languages: 10

description	Code	Weight (kg)
Barcode scanner, transport case	790 160 005	30.000
Barcode scanner, carton box	790 160 003	25.000

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>